Key to abbreviations: *abs/comm* = abstract with commentary; *e* = editorial.

SUBJECTS

Abdominal pain
Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589–95

Accreditation
Hospital quality of care: the link between accreditation and mortality, 10(9):473–80

Acute myocardial infarction
Acute myocardial infarction: how well do emergency physicians in community hospitals follow clinical guidelines?, 10(9):481–7
Do patients with acute myocardial infarction who arrive via ambulance receive better quality care?, 10(2):64–5 *abs/comm*
Evaluation of the emergency department patient with possible myocardial ischemia, 10(10):547–58

Attention-deficit hyperactivity disorder
Continuity of care is associated with early and consistent treatment of attention-deficit/hyperactivity disorder during a single school year, 10(7):371–5

Alcohol abuse
Adolescent substance use: prevention and management by primary care clinicians, 10(3):166–74

Alendronate
Alendronate to prevent accelerated bone loss after postmenopausal HRT is discontinued, 10(6):305–6 *abs/comm*

Alzheimer's disease
A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419–29

Anorexia
Improving appetite in patients with advanced cancer: putting fish oil to the test, 10(3):129–30 *abs/comm*

Anticoagulation
Reversing warfarin anticoagulation: utilization of fresh frozen plasma and vitamin K in a community hospital, 10(12):643–5

Antidepressants
Central nervous system active medications and the risk of fracture in older women, 10(6):308, 313 *abs/comm*
The evaluation and management of depression in primary care: an evidence-based review. Part 2: treatment, 10(2):104–18

Appendicitis
Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19–23

Aspirin
Daily aspirin and prophylaxis against recurrent colorectal adenoma, 10(10):530 *abs/comm*
NSAIDs may block cardioprotective effect of aspirin, 10(11):585, 588 *abs/comm*

Asthma
Industry perspectives: asthma care, 10(6):344 *e*
Performance feedback improves pediatric residents' adherence to asthma clinical guidelines, 10(6):317–22
The 2002 asthma guidelines update: a review of the new recommendations, 10(6):329–35

Atrial fibrillation
Atrial fibrillation prophylaxis after cardiac surgery does not reduce length of stay, 10(5):253–4 *abs/comm*

Bacteremia
Catheter design and bacteremia in patients with cancer, 10(11):584–5 *abs/comm*

Benchmarking
Accepting critically ill patients in transfer: how will it affect common hospital benchmarks?, 10(9):464–5 *abs/comm*

Blood donation
Targeting repeat blood donors can increase supply, 10(6):303–4 *abs/comm*

Blood transfusion
Improved outcomes with perioperative erythropoietin, 10(10):523–4 *abs/comm*

Cancer
Diagnosing cancer in the presence of involuntary weight loss, 10(10):520, 523 *abs/comm*
Following patients with advanced cancer: satisfaction with nurse-led care, 10(1):16–8 *abs/comm*

Cancer, breast
Adopting new breast cancer staging: the impact of stage migration, 10(12):638, 641 *abs/comm*
Screening for cancer in older women: a guide to prudent prevention, 10(9):493–502
Value of short-term follow-up recommendations in mammography, 10(5):250–1 *abs/comm*

Cancer, cervical
Implementing cervical cancer screening in underserved communities, 10(8):405 *abs/comm*
Screening for cancer in older women: a guide to prudent prevention, 10(9):493–502

Cancer, colorectal
Daily aspirin and prophylaxis against recurrent colorectal adenoma, 10(10):530 *abs/comm*
Improving appetite in patients with advanced cancer: putting fish oil to the test, 10(3):129–30 *abs/comm*
Screening for colorectal cancer: analysis of evidence and cost-effectiveness, 10(2):87–94
Screening for colorectal lesions: how well does virtual colonoscopy perform?, 10(9):463–4 *abs/comm*
Surgery and survival in rectal cancer: benefits of high-volume hospitals, 10(7):361, 363 *abs/comm*

Cancer, lung
Following patients with advanced cancer: satisfaction with nurse-led care, 10(1):16–8 *abs/comm*
Screening for lung cancer, 10(12):661–8
Spiral CT with selective PET scanning detects early lung cancers in heavy smokers, 10(10):519–20 *abs/comm*

Capsule endoscopy
A review of capsule endoscopy, 10(5):273–7

Case management
Seniors-at-home: a case management program for frail elders, 10(11):603–7

Catheters
Catheter design and bacteremia in patients with cancer, 10(11):584–5 *abs/comm*

Chest pain
Evaluation of the emergency department patient with possible myocardial ischemia, 10(10):547–58

Chlamydia
New opportunities for an old problem: preventing genital chlamydial infections in U.S. women, 10(8):447–55

Chronic fatigue syndrome
Combination therapy with hydrocortisone and fludrocortisone does not improve symptoms in chronic fatigue syndrome, 10(9):470–1 *abs/comm*

INDEX TO VOLUME 10

Collaborative improvement
Clinical collaboratives for improving patient care, 10(12):651–6

Community-acquired pneumonia
A multicenter intervention to improve the care of hospitalized patients with community-acquired pneumonia, 10(8):431–8

Conjunctivitis
Management of conjunctivitis, 10(7):388–94

Continuity of care
The follow-up service: easing the transition from the inpatient to the outpatient setting, 10(5):257–62

COPD
Oral prednisone for outpatient treatment of COPD exacerbations, 10(8):411–2 *abs/comm*
Self-management program reduces hospital utilization in patients with COPD, 10(5):254–5 *abs/comm*

Coronary artery disease
Do skeletal fractures decrease risk for subsequent coronary events in women with heart disease?, 10(11):581–2 *abs/comm*
Folic acid does not reduce cardiovascular events in patients with coronary artery disease, 10(8):410–1 *abs/comm*
Pravastatin's efficacy in the elderly at high risk for vascular disease, 10(1):14–5 *abs/comm*
Rethinking the role of conventional diet therapy for coronary artery disease, 10(1):10–1 *abs/comm*
Treating diabetic dyslipidemia with gemfibrozil for secondary prevention of coronary heart disease, 10(2):68–9 *abs/comm*

Coronary artery bypass graft
Depression is a predictor of mortality after coronary artery bypass surgery, 10(10):526–7 *abs/comm*
Impact of public dissemination of coronary artery bypass graft outcomes on surgical mortality, 10(11):577–8 *abs/comm*

Crohn's disease
Crohn's disease: an evidence-based approach to medical management, 10(5):279–89

Data collection
Introduction of an automated outcomes data collection and analysis system across 22 pediatric hospitals, 10(3):159–65

Dementia
A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419–29

Depression
Depression is a predictor of mortality after coronary artery bypass surgery, 10(10):526–7 *abs/comm*
Do clinician and patient adherence predict outcome in a depression disease management program?, 10(2):79–85
The evaluation and management of depression in primary care: an evidence-based review. Part 1: epidemiology and clinical assessment, 10(2):95–103
The evaluation and management of depression in primary care: an evidence-based review. Part 2: treatment, 10(2):104–19

Diabetes
Development and implementation of a hospital pathway for patients with diabetic foot lesions, 10(5):267–72
Introduction of an electronic registry to improve diabetes outcomes in a primary care network, 10(10):541–6
Morning insulin glargine is better than bedtime insulin glargine or bedtime NPH insulin in combination with glimepiride, 10(8):406–7 *abs/comm*
Treating diabetic dyslipidemia with gemfibrozil for secondary prevention of coronary heart disease, 10(2):68–9 *abs/comm*
What is the role of self-monitoring of blood glucose in non–insulin-treated diabetes?, 10(1):7, 10 *abs/comm*

Diet
Rethinking the role of conventional diet therapy for coronary artery disease, 10(1):10–1 *abs/comm*

Disease management
Do clinician and patient adherence predict outcome in a depression disease management program?, 10(2):79–85

Dyslipidemia
Cholesterol management in a population of managed care enrollees, 10(3):147–54
Industry perspectives: cholesterol management, 10(3):176 *e*
No improvement in nationwide cholesterol levels during the 1990s, 10(7):353–4 *abs/comm*
Real-life results of statin therapy fall short, 10(3):132 *abs/comm*
Treating diabetic dyslipidemia with gemfibrozil for secondary prevention of coronary heart disease, 10(2):68–9 *abs/comm*

Diuretics
Thiazide diuretics are associated with lower risk of hip fractures, 10(11):578, 581 *abs/comm*

Dyspepsia
Managing dyspepsia: is the test-and-treat strategy effective in primary care?, 10(12):634–5 *abs/comm*

Echinacea
Echinacea is not effective for treatment of the common cold, 10(3):128–9 *abs/comm*

Electronic medical record
Industry perspectives: electronic medical records, 10(7):396 *e*
Using the EMR as a decision support tool to improve quality, 10(7):383–7

Emergency medical services
Do patients with acute myocardial infarction who arrive via ambulance receive better quality care?, 10(2):64–5 *abs/comm*

Erythropoietin
Improved outcomes with perioperative erythropoietin, 10(10):523–4 *abs/comm*

Exercise
Counseling to increase exercise: getting patients to prompt physicians, 10(6):304–5 *abs/comm*

Fibromyalgia
Tramadol and acetaminophen combination tablets: a new therapeutic choice for fibromyalgia pain?, 10(7):358, 360 *abs/comm*

Folic acid
Folic acid does not reduce cardiovascular events in patients with coronary artery disease, 10(8):410–1 *abs/comm*

Fracture
Are physicians compliant with clinical practice guidelines for osteoporosis in older adults with prior fracture?, 10(12):636–7 *abs/comm*
Central nervous system active medications and the risk of fracture in older women, 10(6):308, 313 *abs/comm*
Do skeletal fractures decrease risk for subsequent coronary events in women with heart disease?, 10(11):581–2 *abs/comm*
Thiazide diuretics are associated with lower risk of hip fractures, 10(11):578, 581 *abs/comm*

Frailty
Quality of care in the vulnerable elderly, 10(12):635–6 *abs/comm*
Seniors-at-home: a case management program for frail elders, 10(11):603–7

Gastroesophageal reflux disease
Laparoscopic fundoplication for reflux disease: gap between efficacy and effectiveness, 10(3):127–8 *abs/comm*

Resource use and expenditures associated with medical therapy for gastroesophageal reflux disease in Ohio Medicaid beneficiaries, 10(2):73–8

Gout
Diagnosis and management of gout, 10(6):336–42

Guidelines
Acute myocardial infarction: how well do emergency physicians in community hospitals follow clinical guidelines?, 10(9):481–7
Are physicians compliant with clinical practice guidelines for osteoporosis in older adults with prior fracture?, 10(12):636–7 *abs/comm*
Performance feedback improves pediatric residents' adherence to asthma clinical guidelines, 10(6):317–22
Residents' attitudes toward, knowledge of, and use of clinical guidelines: a survey, 10(10):531–4
Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589–95
The 2002 asthma guidelines update: a review of the new recommendations, 10(6):329–35
Using the EMR as a decision support tool to improve quality, 10(7):383–7

Headache
Chronic daily headache: classification, diagnosis, and management, 10(11):608–15

Helicobacter pylori
Optimizing testing and treatment for *Helicobacter pylori* infection in patients with acutely bleeding gastroduodenal ulcers: an interventional study, 10(7):365–70

Herbal therapy
Echinacea is not effective for treatment of the common cold, 10(3):128–9 *abs/comm*

HIV
Early detection and management of HIV infection, 10(9):503–10

Hormone replacement therapy
Alendromate to prevent accelerated bone loss after postmenopausal HRT is discontinued, 10(6):305–6 *abs/comm*
Effect of hormone replacement on cognitive function in postmenopausal women, 10(2):63–4 *abs/comm*

Hospital discharge
Process improvements to support earlier discharge times on a cardiology service, 10(5):263–5
The follow-up service: easing the transition from the inpatient to the outpatient setting, 10(5):257–62

Hospitalist
Effect of experienced hospitalist care on mortality, cost, and length of stay, 10(1):15–6 *abs/comm*

Hospital volume
Surgery and survival in rectal cancer: benefits of high-volume hospitals, 10(7):361, 363 *abs/comm*

Hypertension
Renal artery stenosis in the hypertensive patient, 10(11):617–22
Systolic hypertension in older patients, 10(1):47–55

Hypercholesterolemia
Cholesterol management in a population of managed care enrollees, 10(3):147–54

Industry perspectives
Industry perspectives: cholesterol management, 10(3):176 *e*
Industry perspectives: asthma care, 10(6):344 *e*
Industry perspectives: electronic medical records, 10(7):396 *e*

Inflammatory bowel disease
Crohn's disease: an evidence-based approach to medical management, 10(5):279–89

Influenza
Neuraminidase inhibitors are effective for treatment and prevention of influenza, 10(7):360–1 *abs/comm*
Physician perceptions about the flu: a survey of U.S. primary care providers, 10(3):139–44

Informed consent
Beyond informed consent: the shared decision making process, 10(6):323–8

Insulin therapy
Morning insulin glargine is better than bedtime insulin glargine or bedtime NPH insulin in combination with glimepiride, 10(8):406–7 *abs/comm*

Intensive care unit
Updating the Leapfrog Group intensive care unit physician staffing standard, 10(1):31–7

Internet
How does health information on the internet affect the patient-doctor relationship?, 10(9):465–6 *abs/comm*

Laparoscopy
Laparoscopic fundoplication for reflux disease: gap between efficacy and effectiveness, 10(3):127–8 *abs/comm*

Leapfrog Group
Updating the Leapfrog Group intensive care unit physician staffing standard, 10(1):31–7

Length of stay
Atrial fibrillation prophylaxis after cardiac surgery does not reduce length of stay, 10(5):253–4 *abs/comm*

Mammography
Using a personalized targeted mailing to increase mammography screening, 10(8):417–8 *abs/comm*
Value of short-term follow-up recommendations in mammography, 10(5):250–1 *abs/comm*

Medical errors
Disclosing unanticipated outcomes and medical errors, 10(1):19–23

Neuraminidase inhibitors
Neuraminidase inhibitors are effective for treatment and prevention of influenza, 10(7):360–1 *abs/comm*

Nicotine replacement therapy
Improving tobacco dependence medication use in a medicaid managed care organization: a practical systems-level approach, 10(10):535–9

NSAIDs
NSAIDs may block cardioprotective effect of aspirin, 10(11):585, 588 *abs/comm*

Nurse-led care
Following patients with advanced cancer: satisfaction with nurse-led care, 10(1):16–8 *abs/comm*

Opiates
Central nervous system active medications and the risk of fracture in older women, 10(6):308, 313 *abs/comm*

Osteoarthritis
Acetaminophen for osteoarthritis on the knees: could the guidelines be wrong?, 10(3):133–4 *abs/comm*

Osteoporosis
Are physicians compliant with clinical practice guidelines for osteoporosis in older adults with prior fracture?, 10(12):636–7 *abs/comm*

Pacemaker
Pacemaker therapy for vasovagal syncope does not prevent recurrent syncopal events, 10(7):354–5 *abs/comm*

Panic disorder
Diagnosis and treatment of panic disorder, 10(12):669–80

INDEX TO VOLUME 10

Pathways
Development and implementation of a hospital pathway for patients with diabetic foot lesions, 10(5):267–72

Patient safety
Learning with leaders to create safe health care: the executive session on patient safety, 10(11):597–601

Patient satisfaction
Do women's clinics improve patient satisfaction?, 10(6):307–8 *abs/comm*

Pharmaceutical advertisements
Does pharmaceutical advertising contain accurate promotional statements?, 10(2):65–6 *abs/comm*

Physician-patient communication
Beyond informed consent: the shared decision making process, 10(6):323–8
How does health information on the internet affect the patient-doctor relationship?, 10(9):465–6 *abs/comm*
Physician assessment of patients' comprehension of new information—does it improve outcomes?, 10(5):252–3 *abs/comm*
The "Intensive"—a program to improve communication performance, 10(3):155–8

Pleural effusion
Evaluating suspected malignant pleural effusions: is sending more fluid better?, 10(2):67–8 *abs/comm*

Posttraumatic stress disorder
Posttraumatic stress disorder: detection and management in primary care, 10(10):559–68

Prednisone
Oral prednisone for outpatient treatment of COPD exacerbations, 10(8):411–2 *abs/comm*

Public reporting
Impact of public dissemination of coronary artery bypass graft outcomes on surgical mortality, 10(11):577–8 *abs/comm*

Red eye
Management of conjunctivitis, 10(7):388–94

Registries
Introduction of an electronic registry to improve diabetes outcomes in a primary care network, 10(10):541–6

Renal artery stenosis
Renal artery stenosis in the hypertensive patient, 10(11):617–22

Renal failure
Hospital-acquired acute renal failure—what hospitalists need to know, 10(4):214–23

Reports cards
Accepting critically ill patients in transfer: how will it affect common hospital benchmarks?, 10(9):464–5 *abs/comm*

Respiratory syncytial virus
Managing the high cost of specialty drugs: a case study of palivizumab, 10(9):489–92

Restless legs syndrome
How common is restless legs syndrome?, 10(12):632 *abs/comm*

Screening
A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419–29
Diagnosing cancer in the presence of involuntary weight loss, 10(10):520, 523 *abs/comm*
Implementing cervical cancer screening in underserved communities, 10(8):405 *abs/comm*
Screening for colorectal cancer: analysis of evidence and cost-effectiveness, 10(2):87–94
Spiral CT with selective PET scanning detects early lung cancers in heavy smokers, 10(10):519–20 *abs/comm*
Using a personalized targeted mailing to increase mammography screening, 10(8):417–8 *abs/comm*

Self-monitoring blood glucose
What is the role of self-monitoring of blood glucose in non–insulin-treated diabetes?, 10(1):7, 10 *abs/comm*

Sexually transmitted disease
New opportunities for an old problem: preventing genital chlamydial infections in U.S. women, 10(8):447–55

Six sigma
Bridges to excellence: building a business case for quality care, 10(8):439–46

Specialty drugs
Managing the high cost of specialty drugs: a case study of palivizumab, 10(9):489–92

Statins
Pravastatin's efficacy in the elderly at high risk for vascular disease, 10(1):14–5 *abs/comm*
Real-life results of statin therapy fall short, 10(3):132 *abs/comm*
Screening for statin-related toxicity: low yield, 10(5):247, 250 *abs/comm*

Syncope
Evaluating testing strategies for the diagnosis of syncope, 10(9):466–7 *abs/comm*
Pacemaker therapy for vasovagal syncope does not prevent recurrent syncopal events, 10(7):354–5 *abs/comm*
Syncope: diagnosis and evidence-based management, 10(1):39–46

Thoracentesis
Evaluating suspected malignant pleural effusions: is sending more fluid better?, 10(2):67–8 *abs/comm*

Tobacco
Improving tobacco dependence medication use in a Medicaid managed care organization: a practical systems-level approach, 10(10):535–9

Tramadol
Tramadol and acetaminophen combination tablets: a new therapeutic choice for fibromyalgia pain?, 10(7):358, 360 *abs/comm*

Ulcer
Optimizing testing and treatment for *Helicobacter pylori* infection in patients with acutely bleeding gastroduodenal ulcers: an interventional study, 10(7):365–70

Ultrasonography
Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19–23

Utilization management
A physician-led strategic initiative to improve clinical efficiency and reduce costs in a large academic health system, 10(7):376–82

Warfarin
Reversing warfarin anticoagulation: utilization of fresh frozen plasma and vitamin K in a community hospital, 10(12):643–5

White coat hypertension
Systolic hypertension in older patients, 10(1):47–55

Wireless endoscopy
A review of capsule endoscopy, 10(5):273–7

Women's health clinics
Do women's clinics improve patient satisfaction?, 10(6):307–8 *abs/comm*

AUTHORS

Abbo M
Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589–95

Abreu MT
Crohn's disease: an evidence-based approach to medical management, 10(5):279–89

Albanese R
Posttraumatic stress disorder: detection and management in primary care, 10(10):559–68

Arana GW
Posttraumatic stress disorder: detection and management in primary care, 10(10):559–68

Armstrong J
New opportunities for an old problem: preventing genital chlamydial infections in U.S. women, 10(8):447–55

Armstrong PF
Introduction of an automated outcomes data collection and analysis system across 22 pediatric hospitals, 10(3):159–65

Bates DM
Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19–23
Improving care in the hospital: hospitalists and JCOM, 10(4):184 *e*

Benis LJ
Reversing warfarin anticoagulation: utilization of fresh frozen plasma and vitamin K in a community hospital, 10(12):643–5

Bini EJ
A review of capsule endoscopy, 10(5):273–7

Bock BC
Improving tobacco dependence medication use in a Medicaid managed care organization: a practical systems-level approach, 10(10):535–9

Bogner H
Do clinician and patient adherence predict outcome in a depression disease management program?, 10(2):79–85

Brads-Pitt T
Performance feedback improves pediatric residents' adherence to asthma clinical guidelines, 10(6):317–22

Brennan PJ
A physician-led strategic initiative to improve clinical efficiency and reduce costs in a large academic health system, 10(7):376–82

Britton O
Hospitalist home visit program identifies medication errors in a vulnerable general medicine population, 10(4):198–202
Overview of a workshop on the role of the hospitalist in quality improvement, 10(4):209–12

Brooks DC
Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19–23

Burnett DA
A review of capsule endoscopy, 10(5):273–7

Bush P
Introduction of an automated outcomes data collection and analysis system across 22 pediatric hospitals, 10(3):159–65

Callahan CW
Performance feedback improves pediatric residents' adherence to asthma clinical guidelines, 10(6):317–22

Carethers JM
Screening for colorectal cancer: analysis of evidence and cost-effectiveness, 10(2):87–94

Catanzaro A
Optimizing testing and treatment for *Helicobacter pylori* infection in patients with acutely bleeding gastroduodenal ulcers: an interventional study,10(7):365–70

Chak A
Optimizing testing and treatment for *Helicobacter pylori* infection in patients with acutely bleeding gastroduodenal ulcers: an interventional study, 10(7):365–70

Chan DS
Performance feedback improves pediatric residents' adherence to asthma clinical guidelines, 10(6):317–22

Chang AY
Inpatient evaluation and management of acute decompensated heart failure, 10(4):231–9

Chen LX
Diagnosis and management of gout, 10(6):336–42

Cheng D
Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):1–23

Christakis DA
Continuity of care is associated with early and consistent treatment of attention-deficit/hyperactivity disorder during a single school year, 10(7):371–5

Clancy CT
The evaluation and management of depression in primary care: an evidence-based review. Part 1: epidemiology and clinical assessment, 10(2):95–103
The evaluation and management of depression in primary care: an evidence-based review. Part 2: treatment, 10(2):104–19

Cooper GS
Resource use and expenditures associated with medical therapy for gastroesophageal reflux disease in Ohio medicaid beneficiaries, 10(2):73–8
Optimizing testing and treatment for *Helicobacter pylori* infection in patients with acutely bleeding gastroduodenal ulcers: an interventional study, 10(7):365–70

Cummings JP
A review of capsule endoscopy, 10(5):273–7

Curley C
A physician-led strategic initiative to improve clinical efficiency and reduce costs in a large academic health system, 10(7):376–82

Datto CJ
Do clinician and patient adherence predict outcome in a depression disease management program?, 10(2):79–85

de Brantes F
Bridges to excellence: building a business case for quality care, 10(8):439–46

DelVecchio M
Process improvements to support earlier discharge times on a cardiology service, 10(5):263–5

DeRuntz PJ
Development of a brochure for patients describing a hospitalist service, 10(4):204–8

Disbot M
A physician-led strategic initiative to improve clinical efficiency and reduce costs in a large academic health system, 10(7):376–82

INDEX TO VOLUME 10

Do clinician and patient adherence predict outcome in a depression disease management program?, 10(2):79–85

Dolor RJ
Physician perceptions about the flu: a survey of U.S. primary care providers, 10(3):139–44

Dorman T
Updating the Leapfrog Group intensive care unit physician staffing standard, 10(1):31–7

Dorn GH
A multicenter intervention to improve the care of hospitalized patients with community-acquired pneumonia, 10(8):431–8

Doubilet PM
Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19–23

Epstein L
Process improvements to support earlier discharge times on a cardiology service, 10(5):263–5

Erbelding EJ
Early detection and management of HIV infection, 10(9):503–10

Eslami M
Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19–23

Fick D
Residents' attitudes toward, knowledge of, and use of clinical guidelines: a survey, 10(10):531–4

Fillit H
A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419–29

Finn KM
Hospital-acquired acute renal failure—what hospitalists need to know, 10(4):214–23

Friedman RS
The evaluation and management of depression in primary care: an evidence-based review. Part 1: epidemiology and clinical assessment, 10(2):95–103
The evaluation and management of depression in primary care: an evidence-based review. Part 2: treatment, 10(2):104–19

Frueh BC
Posttraumatic stress disorder: detection and management in primary care, 10(10):559–68

Galvin RS
Bridges to excellence: building a business case for quality care, 10(8):439–46

Gibbs K
Introduction of an electronic registry to improve diabetes outcomes in a primary care network, 10(10):541–6

Glauber JH
Improving tobacco dependence medication use in a Medicaid managed care organization: a practical systems-level approach, 10(10):535–9

Goldman L
The follow-up service: easing the transition from the inpatient to the outpatient setting, 10(5):257–62

Goldstein M
The "Intensive"—a program to improve communication performance, 10(3):155–8

Goldszer RC
Process improvements to support earlier discharge times on a cardiology service, 10(5):263–5

Gonet JA
Optimizing testing and treatment for *Helicobacter pylori* infection in patients with acutely bleeding gastroduodenal ulcers: an interventional study, 10(7):365–70

Goonan E
Process improvements to support earlier discharge times on a cardiology service, 10(5):263–5

Gounder PP
A multicenter intervention to improve the care of hospitalized patients with community-acquired pneumonia, 10(8):431–8

Grossman SA
Syncope: diagnosis and evidence-based management, 10(1):39–46

Handin DR
Glycemic control in the hospitalized patient with diabetes mellitus, 10(4):224–30

Hanno P
A physician-led strategic initiative to improve clinical efficiency and reduce costs in a large academic health system, 10(7):376–82

Harley CR
Cholesterol management in a population of managed care enrollees, 10(3):147–54

Heflin MT
Screening for cancer in older women: a guide to prudent prevention, 10(9):493–502

Herrera L
Early detection and management of HIV infection, 10(9):503–10

Hicks LS
Hospitalist home visit program identifies medication errors in a vulnerable general medicine population, 10(4):198–202
Overview of a workshop on the role of the hospitalist in quality improvement, 10(4):209–12

Hill J
A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419–29

Hird L
Process improvements to support earlier discharge times on a cardiology service, 10(5):263–5

Hofmann SG
Diagnosis and treatment of panic disorder, 10(12):669–80

Holzer SS
Physician perceptions about the flu: a survey of U.S. primary care providers, 10(3):139–44

Holzmueller CG
Updating the Leapfrog Group intensive care unit physician staffing standard, 10(1):31–7

Horowitz D
A physician-led strategic initiative to improve clinical efficiency and reduce costs in a large academic health system, 10(7):376–82
Do clinician and patient adherence predict outcome in a depression disease management program?, 10(2):79–85

Horrigan LA
Beyond informed consent: the shared decision making process, 10(6):323–8

Hricak H
Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589–95

Huddleston JM
Orthopedic surgery nurses' assessment of a hospitalist model of perioperative care, 10(4):193–7

Hummel J
Introduction of an electronic registry to improve diabetes outcomes in a primary care network, 10(10):541–6

Imamura DT
Performance feedback improves pediatric residents' adherence to asthma clinical guidelines, 10(6):317–22

Janas JJ
Using the EMR as a decision support tool to improve quality, 10(7):383–7

Jesse RL
Evaluation of the emergency department patient with possible myocardial ischemia, 10(10):547–58

Jha AK
Combination therapy with hydrocortisone and fludrocortisone does not improve symptoms in chronic fatigue syndrome, 10(9):470–1 *abs/comm*
Do skeletal fractures decrease risk for subsequent coronary events in women with heart disease?, 10(11):581–2 *abs/comm*
Tramadol and acetaminophen combination tablets: a new therapeutic choice for fibromyalgia pain?, 10(7):358, 360 *abs/comm*

Johnson M
Residents' attitudes toward, knowledge of, and use of clinical guidelines: a survey, 10(10):531–4

Jones K
A physician-led strategic initiative to improve clinical efficiency and reduce costs in a large academic health system, 10(7):376–82

Joshi K
Reversing warfarin anticoagulation: utilization of fresh frozen plasma and vitamin K in a community hospital, 10(12):643–5

Joshi MS
Hospital quality of care: the link between accreditation and mortality, 10(9):473–80

Jung B
Screening for colorectal cancer: analysis of evidence and cost-effectiveness, 10(2):87–94

Katz IR
Do clinician and patient adherence predict outcome in a depression disease management program?, 10(2):79–85

Keller V
Beyond informed consent: the shared decision making process, 10(6):323–8

Keller VF
The "Intensive"—a program to improve communication performance, 10(3):155–8

Kelly HW
The 2002 asthma guidelines update: a review of the new recommendations, 10(6):329–35

Keroack MD
A review of capsule endoscopy, 10(5):273–7

Kerr K
Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589–95
The follow-up service: easing the transition from the inpatient to the outpatient setting, 10(5):257–62

Khorasani R
Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19–23

Kim HJ
Diagnosis and treatment of panic disorder, 10(12):669–80

Kirkwood KS
Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589–95

Kirshenbaum J
Process improvements to support earlier discharge times on a cardiology service, 10(5):263–5

Knight AM
Development of a brochure for patients describing a hospitalist service, 10(4):204–8

Knight JR
Adolescent substance use: prevention and management by primary care clinicians, 10(3):166–74

Kohen R
Syncope: diagnosis and evidence-based management, 10(1):39–46

Kontos MC
Evaluation of the emergency department patient with possible myocardial ischemia, 10(10):547–58

Koroukian SM
Resource use and expenditures associated with medical therapy for gastroesophageal reflux disease in Ohio Medicaid beneficiaries, 10(2):73–8

Kosseff AL
Clinical collaboratives for improving patient care, 10(12):651–6

Krauss J
Residents' attitudes toward, knowledge of, and use of clinical guidelines: a survey, 10(10):531–4

Landry L
A multicenter intervention to improve the care of hospitalized patients with community-acquired pneumonia, 10(8):431–8

Larson DR
Orthopedic surgery nurses' assessment of a hospitalist model of perioperative care, 10(4):193–7

Lee TH
Bridges to excellence: building a business case for quality care, 10(8):439–46

Levin M
Chronic daily headache: classification, diagnosis, and management, 10(11):608–15

Levy S
Adolescent substance use: prevention and management by primary care clinicians, 10(3):166–74

Lewis BE
A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419–29

Ley C
Learning with leaders to create safe health care: the executive session on patient safety, 10(11):597–601

Lighter DE
Introduction of an automated outcomes data collection and analysis system across 22 pediatric hospitals, 10(3):159–65

Lippert J
Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19–23

Lozano P
Continuity of care is associated with early and consistent treatment of attention-deficit/hyperactivity disorder during a single school year, 10(7):371–5

MacGregor A
Introduction of an automated outcomes data collection and analysis system across 22 pediatric hospitals, 10(3):159–65

Maclean JR
Residents' attitudes toward, knowledge of, and use of clinical guidelines: a survey, 10(10):531–4

INDEX TO VOLUME 10

Magruder KM
Posttraumatic stress disorder: detection and management in primary care, 10(10):559–68

Mange KC
Renal artery stenosis in the hypertensive patient, 10(11):617–22

Matuszewski KA
A review of capsule endoscopy, 10(5):273–7

McDonough KL
Cholesterol management in a population of managed care enrollees, 10(3):147–54

McKean SCW
Hospitalist home visit program identifies medication errors in a vulnerable general medicine population, 10(4):198–202
Hospitalists—an integral part of the health care system, 10(4):184 *e*
Overview of a workshop on the role of the hospitalist in quality improvement, 10(4):209–12

McWilliams M
Hospitalist home visit program identifies medication errors in a vulnerable general medicine population, 10(4):198–202

Midthun DE
Screening for lung cancer, 10(12):661–8

Mills CS
A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419–29

Milstein A
Updating the Leapfrog Group intensive care unit physician staffing standard, 10(1):31–7

Mitchell MA
Acute myocardial infarction: how well do emergency physicians in community hospitals follow clinical guidelines?, 10(9):481–7

Mohs RC
A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419–29

Moore ML
Process improvements to support earlier discharge times on a cardiology service, 10(5):263–5

Morath JM
Learning with leaders to create safe health care: the executive session on patient safety, 10(11):597–601

Mourad WA
Resource use and expenditures associated with medical therapy for gastroesophageal reflux disease in Ohio Medicaid beneficiaries, 10(2):73–8

Murff HJ
Acetaminophen for osteoarthritis on the knees: could the guidelines be wrong?, 10(3):133–4 *abs/comm*
Alendromate to prevent accelerated bone loss after postmenopausal HRT is discontinued, 10(6):305–6 *abs/comm*
Atrial fibrillation prophylaxis after cardiac surgery does not reduce length of stay, 10(5):253–4 *abs/comm*
Daily aspirin and prophylaxis against recurrent colorectal adenoma, 10(10):530 *abs/comm*
Effect of hormone replacement on cognitive function in postmenopausal women, 10(2):63–4 *abs/comm*
Evaluating testing strategies for the diagnosis of syncope, 10(9):466–7 *abs/comm*
Folic acid does not reduce cardiovascular events in patients with coronary artery disease, 10(8):410–1 *abs/comm*
Impact of public dissemination of coronary artery bypass graft outcomes on surgical mortality, 10(11):577–8 *abs/comm*
Managing dyspepsia: is the test-and-treat strategy effective in primary care?, 10(12):634–5 *abs/comm*
Pacemaker therapy for vasovagal syncope does not prevent recurrent syncopal events, 10(7):354–5 *abs/comm*
Rethinking the role of conventional diet therapy for coronary artery disease, 10(1):10–1 *abs/comm*

Nelson MA
Cholesterol management in a population of managed care enrollees, 10(3):147–54

Niemeier SJ
Clinical collaboratives for improving patient care, 10(12):651–6

Norris TE
Introduction of an electronic registry to improve diabetes outcomes in a primary care network, 10(10):541–6

O'Connell D
Disclosing unanticipated outcomes and medical errors, 10(1):19–23

Oddone EZ
Screening for cancer in older women: a guide to prudent prevention, 10(9):493–502

Pagel JM
Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589–95

Pantilat SZ
Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589–95
The follow-up service: easing the transition from the inpatient to the outpatient setting, 10(5):257–62

Perrin JM
Improving tobacco dependence medication use in a medicaid managed care organization: a practical systems-level approach, 10(10):535–9

Persell SD
Counseling to increase exercise: getting patients to prompt physicians, 10(6):304–5 *abs/comm*
Depression is a predictor of mortality after coronary artery bypass surgery, 10(10):526–7 *abs/comm*
How common is restless legs syndrome?, 10(12):632 *abs/comm*
How does health information on the internet affect the patient-doctor relationship?, 10(9):465–6 *abs/comm*
Morning insulin glargine is better than bedtime insulin glargine or bedtime NPH insulin in combination with glimepiride, 10(8):406–7 *abs/comm*
No improvement in nationwide cholesterol levels during the 1990s, 10(7):353–4 *abs/comm*
NSAIDs may block cardioprotective effect of aspirin, 10(11):585, 588 *abs/comm*
Physician assessment of patients' comprehension of new information—does it improve outcomes?, 10(5):252–3 *abs/comm*
Real-life results of statin therapy fall short, 10(3):132 *abs/comm*
Treating diabetic dyslipidemia with gemfibrozil for secondary prevention of coronary heart disease, 10(2):68–9 *abs/comm*
What is the role of self-monitoring of blood glucose in non–insulin-treated diabetes?, 10(1):7, 10 *abs/comm*

Peterson JF
Accepting critically ill patients in transfer: how will it affect common hospital benchmarks?, 10(9):464–5 *abs/comm*
Central nervous system active medications and the risk of fracture in older women, 10(6):308, 313 *abs/comm*
Does pharmaceutical advertising contain accurate promotional statements?, 10(2):65–6 *abs/comm*
Echinacea is not effective for treatment of the common cold, 10(3):128–9 *abs/comm*
Effect of experienced hospitalist care on

mortality, cost, and length of stay, 10(1):15–6 *abs/comm*
Neuraminidase inhibitors are effective for treatment and prevention of influenza, 10(7):360–1 *abs/comm*
Quality of care in the vulnerable elderly, 10(12):635–6 *abs/comm*
Screening for statin-related toxicity: low yield, 10(5):247, 250 *abs/comm*
Spiral CT with selective PET scanning detects early lung cancers in heavy smokers, 10(10):519–20 *abs/comm*
Thiazide diuretics are associated with lower risk of hip fractures, 10(11):578, 581 *abs/comm*
Using a personalized targeted mailing to increase mammography screening, 10(8):417–8 *abs/comm*

Platt FW
Disclosing unanticipated outcomes and medical errors, 10(1):19–23

Plevak MF
Orthopedic surgery nurses' assessment of a hospitalist model of perioperative care, 10(4):193–7

Poon EG
Do patients with acute myocardial infarction who arrive via ambulance receive better quality care?, 10(2):64-65 *abs/comm*
Do women's clinics improve patient satisfaction?, 10(6):307–8 *abs/comm*
Laparoscopic fundoplication for reflux disease: gap between efficacy and effectiveness, 10(3):127–8 *abs/comm*
Pravastatin's efficacy in the elderly at high risk for vascular disease, 10(1):14–5 *abs/comm*
Self-management program reduces hospital utilization in patients with COPD, 10(5):254–5 *abs/comm*

Pronovost PJ
Updating the Leapfrog Group intensive care unit physician staffing standard, 10(1):31–7

Rassen AG
Seniors-at-home: a case management program for frail elders, 10(11):603–7

Ratko TA
A review of capsule endoscopy, 10(5):273–7

Reese PP
Hospitalist home visit program identifies medication errors in a vulnerable general medicine population, 10(4):198–202

Rhew DC
A multicenter intervention to improve the care of hospitalized patients with community-acquired pneumonia, 10(8):431–8

Rigotti NA
Improving tobacco dependence medication use in a Medicaid managed care organization: a practical systems-level approach, 10(10):535–9

Rockeymoore MB
Updating the Leapfrog Group intensive care unit physician staffing standard, 10(1):31–7

Rogers R
Residents' attitudes toward, knowledge of, and use of clinical guidelines: a survey, 10(10):531–4

Roy CL
Overview of a workshop on the role of the hospitalist in quality improvement, 10(4):209–12

Rudolph JR
Acute myocardial infarction: how well do emergency physicians in community hospitals follow clinical guidelines?, 10(9):481–7

Schaechter JD
Systolic hypertension in older patients, 10(1):47–55

Schneider JW
Inpatient evaluation and management of acute decompensated heart failure, 10(4):231–9

Schnipper JL
Overview of a workshop on the role of the hospitalist in quality improvement, 10(4):209–12

Schumacher HR
Diagnosis and management of gout, 10(6):336–42

Seltzer SE
Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19–23

Sequist TD
Are physicians compliant with clinical practice guidelines for osteoporosis in older adults with prior fracture?, 10(12):636–7 *abs/comm*
Diagnosing cancer in the presence of involuntary weight loss, 10(10):520, 523 *abs/comm*
Oral prednisone for outpatient treatment of COPD exacerbations, 10(8):411–2 *abs/comm*

Sewell MC
A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419–29

Singal N
Management of conjunctivitis, 10(7):388–94

Sivak MV
Optimizing testing and treatment for *Helicobacter pylori* infection in patients with acutely bleeding gastroduodenal ulcers: an interventional study, 10(7):365–70

Sklar T
A multicenter intervention to improve the care of hospitalized patients with community-acquired pneumonia, 10(8):431–8

Slomovic AR
Management of conjunctivitis, 10(7):388–94

Spigel DR
Adopting new breast cancer staging: the impact of stage migration, 10(12):638, 641 *abs/comm*
Catheter design and bacteremia in patients with cancer, 10(11):584–5 *abs/comm*
Evaluating suspected malignant pleural effusions: is sending more fluid better?, 10(2):67–8 *abs/comm*
Following patients with advanced cancer: satisfaction with nurse-led care, 10(1):16–8 *abs/comm*
Implementing cervical cancer screening in underserved communities, 10(8):405 *abs/comm*
Improved outcomes with perioperative erythropoietin, 10(10):523–4 *abs/comm*
Improving appetite in patients with advanced cancer: putting fish oil to the test, 10(3):129–30 *abs/comm*
Screening for colorectal lesions: how well does virtual colonoscopy perform?, 10(9):463–4 *abs/comm*
Surgery and survival in rectal cancer: benefits of high-volume hospitals, 10(7):361, 363 *abs/comm*
Targeting repeat blood donors can increase supply, 10(6):303–4 *abs/comm*
Value of short-term follow-up recommendations in mammography, 10(5):250–1 *abs/comm*

Sterling JE
Acute myocardial infarction: how well do emergency physicians in community hospitals follow clinical guidelines?, 10(9):481–7

Tanasijevic M
Process improvements to support earlier discharge times on a cardiology service, 10(5):263–5

INDEX TO VOLUME 10

Thomas J
Managing the high cost of specialty drugs: a case study of palivizumab, 10(9):489–92

Thompson DA
Acute myocardial infarction: how well do emergency physicians in community hospitals follow clinical guidelines?, 10(9):481–7

Thompson R
Do clinician and patient adherence predict outcome in a depression disease management program?, 10(2):79–85

Townsend RR
Systolic hypertension in older patients, 10(1):47–55

Tsymuk M
A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419–29

Underwood GH
Performance feedback improves pediatric residents' adherence to asthma clinical guidelines, 10(6):317–22

Vaughan BL
Adolescent substance use: prevention and management by primary care clinicians, 10(3):166–74

Wachter RW
The follow-up service: easing the transition from the inpatient to the outpatient setting, 10(5):257–62

Waller J
Residents' attitudes toward, knowledge of, and use of clinical guidelines: a survey, 10(10):531–4

Weingart SN
Learning with leaders to create safe health care: the executive session on patient safety, 10(11):597–601

Weingarten SR
A multicenter intervention to improve the care of hospitalized patients with community-acquired pneumonia, 10(8):431–8

Welton ML
Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589–95

Whelan CT
Development and implementation of a hospital pathway for patients with diabetic foot lesions, 10(5):267–72

White MK
Beyond informed consent: the shared decision making process, 10(6):323–8
Disclosing unanticipated outcomes and medical errors, 10(1):19–23
The "Intensive"—a program to improve communication performance, 10(3):155–8

Williams SA
Cholesterol management in a population of managed care enrollees, 10(3):147–54

Winickoff JP
Improving tobacco dependence medication use in a Medicaid managed care organization: a practical systems-level approach, 10(10):535–9

Witsell DL
Physician perceptions about the flu: a survey of U.S. primary care providers, 10(3):139–44

Wong JY
A multicenter intervention to improve the care of hospitalized patients with community-acquired pneumonia, 10(8):431–8

Wong RCK
Optimizing testing and treatment for *Helicobacter pylori* infection in patients with acutely bleeding gastroduodenal ulcers: an interventional study, 10(7):365–70

Wright SM
Development of a brochure for patients describing a hospitalist service, 10(4):204–8

Wu BJ
Reversing warfarin anticoagulation: utilization of fresh frozen plasma and vitamin K in a community hospital, 10(12):643–5

Zaidel O
Crohn's disease: an evidence-based approach to medical management, 10(5):279–89